

## Specification Sheet

Part Number: WC1-7



|                                |  |
|--------------------------------|--|
| <b>Article Number</b>          | 560-10533  |
| <b>Type</b>                    | WC1  |
| <b>Color</b>                   | White (WH)   |
| <b>Features &amp; Benefits</b> | <ul style="list-style-type: none"><li>• Clip-Tags are snap-on markers which slip easily on wire and cable.</li><li>• Markers are non-adhesive and come on a plastic wand for trouble free installation.</li><li>• Interlocking design of these markers help to keep them aligned and readable.</li><li>• Clip-Tags have an opening on one end which means that they can be used on pre-terminated and pre-installed wires attached to terminal blocks.</li></ul> |
| <b>Quantity Per</b>            | pack   |
| <b>Product Description</b>     | ClipTags are "open" markers that has an open end which can be snapped over pre-terminated cables. Each legend is printed black on white and has a very low profile when applied to wire and cable. Available in printed legends 0 to 9, + and -, each package contains 300 pieces.   |
| <b>Short Description</b>       | Clip-Tag marked 7, .039"-.06", Nylon, White, 300/pkg   |

**Global Part Name**

WC1-PA66-WH

**Technical Description**

Clip-Tag marked 7, .039"-.055", White

**Length L (Imperial)**

0.087

**Length L (Metric)**

2.21

**Width W (Imperial)**

0.087

**Width W (Metric)**

2.2

**Height H (Imperial)**

0.087

**Height H (Metric)**

2.2

**Outside Diameter Max(Imperial)**

0.055

**Outside Diameter Min (metric)**

1.0

**Outside Diameter Min(Imperial)**

0.039

**Outside Diameter Max (metric)**

1.40

**Material**

Polyamide 6.6 (PA66)

**Material Shortcut**

PA66

**Halogen free**

No

**Operating Temperature (Metric)**

-40°F to +185°F (-40°C to +85°C)

**Reach Complaint(Article 33)**

No

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

300

**Package Quantity (Metric)**

300

**Customs Number**

3926909987