






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Zhan	2014/10/08	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2014/11/07			ecn no	-	rel level	Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-He	2014/11/06							
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	appr	Pei-Ming Zheng	2014/11/07	product family	PwrBlade+	rel level	Released			
ASME Y14.5	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10			title	24S		dwg no	10106262-0006002		rev	A
ASME Y14.5	0° ±2°	www.fci.com		cat. no.	Product - Customer Drw		sheet 1 of 3				

PRODUCT NO.	ROWS	SIGNAL					
		E1	1	2	3	4	5
10106262-0006002LF	DCBA	V	V	V	D	D	D
		Q	Q	Q	Q	C	C
		P	P	P	P	B	B
		N	N	N	N	A	A



2X $\varnothing 2.49 \pm 0.05$
NOTE 6
 $\varnothing 0.10 \text{ (M)}$ V U

2X $\varnothing 3.05 \pm 0.13$
NOTE 6
 $\varnothing 0.10 \text{ (M)}$ V U

$\varnothing 1.02 \pm 0.07$ TYP
NOTE 6,7
 $\varnothing 0.10 \text{ (M)}$ V U

CODE	DESCRIPTION
A	MLBF SIGNAL CONTACT, ROW A (2.34)
B	MLBF SIGNAL CONTACT, ROW B (2.34)
C	MLBF SIGNAL CONTACT, ROW C (2.34)
D	MLBF SIGNAL CONTACT, ROW D (2.34)
HA	METAL HOLD DOWN
N	STD SIGNAL CONTACT, ROW A (2.34)
P	STD SIGNAL CONTACT, ROW B (2.34)
Q	STD SIGNAL CONTACT, ROW C (2.34)
V	STD SIGNAL CONTACT, ROW D (2.34)

dr	Rainbow Zhan	2014/10/08	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhan	2014/11/07			ecn no			
chr	Li-He	2014/11/06			-			
appr	Pei-Ming Zheng	2014/11/07	product family	PwrBlade+	rel level		Released	
		title	24S		dwg no	10106262-0006002		rev
www.fci.com		cat. no.	RA STB HEADER				A	
				Product - Customer Drw		sheet 2 of 3		






Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2014/10/08	projection 	MM 	size	A3	scale	3:2
eng	Rainbow Zhan	2014/11/07			ecn no	-		
chr	Li-He	2014/11/06			rel level	Released		
appr	Pei-Ming Zheng	2014/11/07	product family	PwrBlade+				
		title 24S RA STB HEADER	dwg no 10106262-0006002	rev A				
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			