

WEBVISIT BASIC

Order No.: 2985990

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2985990>

Development software for web-based visualizations

Commercial data

| | |
|--------------------------|---|
| GTIN (EAN) |  4 046356 051828 |
| Note | Made-to-order |
| sales group | K112 |
| Pack | 1 pcs. |
| Customs tariff | 85234045 |
| Catalog page information | Page 51 (AX-2009) |

Product notesWEEE/RoHS-compliant since:
11/19/2004

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Functions**

| | |
|-----------------|--|
| Basic functions | WebVisit is the engineering tool used to create web visualizations for all controllers with integrated web server. |
|-----------------|--|

| | |
|----------------|---|
| | The user interface has a functional design and even the basic version offers numerous graphic basic elements and functions. |
| | The Pro version includes functions such as alarm lists, trends, a simple user management feature, URL jumps, and other popular functions. |
| | WebVisit enables you to create suitable user interfaces for your application quickly and easily. |
| Control system | (Target system) Embedded controller |

Hardware requirements

| | |
|---------------------|------------------------------------|
| Monitor resolution | XGA (1024 x 768) |
| Operating equipment | Keyboard, mouse |
| CPU | Pentium 4/Celeron 1.6 GHz, minimum |
| Optical drive | DVD-ROM |

Operating systems

| | |
|---------------------|--|
| Operating systems | MS Windows XP SP3, MS Windows Vista Business, MS Windows 7 (32-bit) Pro (PC WORX 6.1 or later) |
| Operating equipment | Keyboard, mouse |

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;