


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
DF	S0	P	LTR	DESCRIPTION	DATE	DWN	APVD
		E		REV PER ECO 05-015021	27JAN06	BL	CT



1. MARKED PER MIL-STD-130.
2. TO MATE WITH AMP LGH-1/2L RECEPTACLE WITH .89 [22.6] BARREL DEPTH.
- 3 PIGTAIL IS SOLDER DIPPED.
4. OPERATING VOLTAGE: 15 KVDC AT 0 TO 70,000 FEET, -55°C TO 125°C.
- 5 INSULATION CUT, BUT NOT REMOVED.

5	11.25±.12 [285.8±3.0]	5-867893-2
3	11.25±.12 [285.8±3.0]	867893-2
3	20.00±.50 [508.0±12.7]	867893-1
REMARKS	A	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	C.C.THOMAS	1-9-90	 Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: INCHES		CHK	D.EABY	4-27-90	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	-	-	NAME
0 PLC ± -		PRODUCT SPEC	-	-	LEAD ASS'Y, SGL. END, LGH-1/2L (YELLOW)
1 PLC ± -		APPLICATION SPEC	-	-	SIZE
2 PLC ± .02 [0.5]		WEIGHT	-	-	A2
3 PLC ± -		CUSTOMER DRAWING	-	-	CAGE CODE
4 PLC ± -		SCALE	4:1	-	00779
ANGLES ± -		SHEET	1 of 1	-	DRAWING NO
FINISH -		REV	E	-	C=867893
SEE CALLOUTS		RESTRICTED TO	-	-	