

Specification Sheet

Part Number: 170-03019



Braided Sleeving, Expandable, Fray Resistant, Flame Retardant, 1" Dia, PET, Black, 50 ft/reel

Article Number	170-03019
Type	BSSCFR100
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Increased braid density coverage provides higher level of abrasion resistance without losing flexibility.• Treated yarns extinguish quickly and reduces potential flame spread to surrounding components.• Cuts with ordinary scissors without fraying ends.
Quantity Per	reel
Product Description	Treated polyester yarns that can be cut with sharp scissors and provides flame retardant properties. Well suited for situations where access to a hot knife is either impractical or impossible. Contains white tracer thread for easy identification.

Short Description

Braided Sleeving, Expandable, Fray Resistant, Flame Retardant, 1" Dia, PET, Black, 50 ft/reel

Global Part Name

BSSCFR100-PET-BK

Length L (Imperial)

50.0

Length L (Metric)

15.2

Bundle Diameter Min (Imperial)

0.75

Bundle Diameter Min (Metric)

19.1

Bundle Diameter Max (Imperial)

1.188

Bundle Diameter Max (Metric)

30.2

Diameter D (imperial)

1.0

Diameter D (metric)

25.4

Nominal Diameter (Imperial)

1

Nominal Diameter (Metric)

25.4

Material

Polyester (PET)

Material Shortcut

PET

Flammability

Mil-202 UL VW-1

Halogen free Yes

Operating Temperature (Metric) -94°F to +257°F (-70°C to +120°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

UL Recognized (US) Yes

UL Recognized (US and Canada) Yes

Package Quantity(Imperial) 50

Package Quantity (Metric) 15.24

Customs Number 3926909987

Weight (Metric) 0.28

Weight (Imperial) 0.62