



SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	LEAD FREE PART NUMBER
09	30.81	24.99	16.96	16.21	10.96	D09S91C4PV3FLF
15	39.14	33.32	25.18	24.54	19.18	D15S91C4PV3FLF
25	53.03	47.04	39.12	38.25	33.12	D25S91C4PV3FLF
37	69.32	63.50	55.68	54.71	49.68	D37S91C4PV3FLF
200 matings						

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C01-8646-0001

NOTE 1
MATERIAL and PLATINGS

Contacts: gold over nickel on active area
 mat pure tin over nickel on termination
 Shells: steel, nickel 2 to 9µ over copper 3 to 5µ plating
 Female screw: brass, nickel 2 to 4µ plating

NOTE 2
 For other general characteristics, excepted characteristics in note 1
 see drawing C01-8646-0001

www.fciconnect.com		surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection mm
TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	M PESSON	2008/10/01	0.X	±0.1
Eng	M PESSON	2008/10/01	0.XX	±0.1
Chr	LEGARE	2008/10/01	0.XXX	±0.1
Appr	LEGARE	2008/10/01	Product family	D-SUB
size A3		Scale 2		ECN LS08-0221
spec ref -		-		
		FEMALE CONNECTOR DELTA D STD EUROPE STRAIGHT PRESS-FIT		Rev. C
catalog no		-		sheet 1 of 1 CUSTOMER

rev	ecn no	dr	date
A	-	MPE	2008/10/01
B	LS08-0211	MPE	2008/11/06
C	LS08-0221	MPE	2008/11/27
-	-	-	-
-	-	-	-
-	-	-	-

Copyright FCJ.