



VIEW ON MATING SIDE

A = 32 STANDARD CONTACTS L = 3
 B = 32 STANDARD CONTACTS L = 3
 C = 32 STANDARD CONTACTS L = 3
 S = 96 TOTAL NUMBER OF CONTACTS

MARKING	STANDARD
PERFORMANCE LEVEL	G/I/O = CONTACT AREA LEVEL 1 / TERMINATION TIN
FLUX PROOF	NO
FIXING CLIP	NO
DIMENSIONS	SD-85003-0001 SHT 2

C	G/I/O	c1-32
B	G/I/O	b1-32
A	G/I/O	a1-32
CONTACT SYMBOL	PERFORMANCE LEVEL	CONTACT POSITION NUMBER

EC NO. I 2004-XXXX DRAWN: S. 09/09/03 CHECKED: 09/09/03 APPRVL: 09/09/03	QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE	DESIGN UNITS	DIMENSIONS:		SHT	REV	
	MAJOR CRITICAL			<input type="checkbox"/> mm <input type="checkbox"/> INCH	<input checked="checked" type="checkbox"/> mm <input type="checkbox"/> INCH	<input type="checkbox"/> mm <input type="checkbox"/> INCH	<input type="checkbox"/> mm <input checked="checked" type="checkbox"/> INCH ONLY	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	
		4 PLACES	± 0.1	$\pm .005$	DRAWN BY & DATE		TITLE: 96 POS MALE CONNECTOR ACCORDING DIN 41612 STYLE C CONTACTS ARRANGEMENT			
		3 PLACES	± 0.2	$\pm .005$	S.S. 16/07/01					
		2 PLACES	± 0.3	$\pm .005$	CHECKED BY & DATE					
1 PLACE	± 0.4	$\pm .005$	G.L. 16/07/01							
	ANGULAR: \pm	\pm	APPROVED BY & DATE		MATERIAL NO.		DRAWING NO.	SHEET NO.		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		CAD FILENAME		SD-85003-0294.S01		85003-0294	SD-85003-0294	1 OF 1	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				MOLEX INCORPORATED		SIZE D	