

Specification Sheet

Part Number: 121-83355

Product Image Kabelrap Tie, 13.3" Long, 176lb Tensile Strength, PA66HS, Natural, 50/pkg

| | |
|--|---|
| Article Number | 121-83355 |
| Type | KR8/33 |
| Color | Natural (NA) |
| Features & Benefits | <ul style="list-style-type: none">• Kabelrap tie offers a smooth strap providing secure assembly without damaging cables or hoses.• Curved head design provides full circumferential compression which offers vibration resistance. |
| Quantity Per | pcs. |
| Product Description | The patented Kabelrap cable tie design offers a smooth strap which is locked into place with a glass fiber reinforced pin. The curved head design provides full circumferential compression around the bundle or harness. Once applied with the required KR6/8 manual tool, the tie offers a secure and vibration resistant assembly. |
| Short Description | Kabelrap Tie, 13.3" Long, 176lb Tensile Strength, PA66HS, Natural, 50/pkg |
| Global Part Name | KR8/33-PA66HS-NA |
| Minimum Tensile Strength (Imperial) | 176.0 |
| Minimum Tensile Strength (Metric) | 785.0 |
| Length L (Imperial) | 13.3 |

Length L (Metric) 337.0

Fixation Method Cable Tie

Identification Plate Position none

Releasable Closure No

Tie Closure fibreglass pin

Variant No Serration

Width W (Imperial) 0.32

Width W (Metric) 8.0

Bundle Diameter Min (Imperial) 0.32

Bundle Diameter Min (Metric) 8.0

Bundle Diameter Max (Imperial) 3.4

Bundle Diameter Max (Metric) 86.0

Thickness T (Imperial) 0.091

Thickness T (Metric) 2.3

Cable Tie Head Length (Imperial) 0.31

Cable Tie Head Width (Imperial) 0.46

| | |
|---------------------------------------|--|
| Material | Polyamide 6.6 heat stabilized (PA66HS) |
| Material Shortcut | PA66HS |
| Flammability | UL 94 V2 |
| Operating Temperature (Metric) | -40°F to +221°F (-40°C to +105°C) |
| Reach Complaint(Article 33) | Yes |
| ROHS Complaint | Yes |
| Package Quantity(Imperial) | 50 |
| Package Quantity (Metric) | 50 |
| Customs Number | 3926909987 |
| Content Unit(BMEcat) | pcs. |
| Weight (Metric) | 4.43 |