



REVISION RECORD		
REV	DESCRIPTION	DRFT
11	EXTEND MIDDLE METAL SPACER ( DIM0.15) CONTROL METAL SPACER POSITION ( DIM1.5)	Revuzo 8/05/13




NOTES:

- MATERIAL:  
CONNECTOR  
HOUSING: GLASS FILLED LCP, UL94 V-0, BLACK  
TERMINALS: PHOS-BRONZE t=0.2mm .  
OVERMOLDED TERMINALS HOUSING: GLASS FILLED LCP, UL94 V-0, BLACK  
CAGE ASSEMBLY: COPPER-NICKEL-ZINC ALLOY t=0.25mm.  
LIGHT PIPES: POLYCARBONITE UL94V-0, CLEAR.
- FINISH:  
TERMINAL:  
1)50u" MIN NICKEL PLATING OVER ALL.  
2)COMPLIANT TAIL: 50u" TIN OVER 50u" MIN NICKEL.  
3)30u" MIN GOLD PLATING ON MATING AREA.
- PRESS FIT HOLES:  
CONTACT:  
1)HOLE DIAMETER AFTER PLATING: 0.41-0.51mm.  
2)DRILLED HOLE: 0.535-0.585mm  
CAGE:  
1)HOLE DIAMETER AFTER PLATING: 1.00-1.10mm.  
2)DRILLED HOLE: 1.125-1.175mm.
- RATING:  
1)VOLTAGE: 120V r.m.s  
2)CURRENT RATING: 0.5Amp. MAXIMUM PER INDIVIDUAL CONTACT.  
3)OPERATING TEMPERATURE: -55°C TO 85°C  
4)INSULATION RESISTANCE: 1000 mega-ohms Min.


Qty Per:	TRAY	CARTON
	3	18

DETACHED LISTS	MM (INCH)	<b>RoHS Compliant</b>	<b>Pulse Electronics</b>		
	TOLERANCES EXCEPT AS NOTED		METAL GASKET		
	MM	±	TITLE SFP PLUS 2 BY 4 CAGE+CONNECTOR_P		
	.0 ± 0.25 .00 ± 0.20 .000 ± 0.10	± ± ±			
ANGLES ± 1°		DFTO : JACK	DRAWING NO. CSFPP014-L		
THIRD ANGLE PROJECTION		DATE : 10/15/10	/PART NO. SFPP014-L		
		SCALE : 1:1	DO NOT SCALE DRAWING		
		SIZE A3		REV 11	
		SHEET 1 OF 4			

REVISION RECORD		
REV	DESCRIPTION	DRFT
11	EXTEND MIDDLE METAL SPACER ( DIM0.15) CONTROL METAL SPACER POSITION ( DIM1.5)	Royzuo 6/05/13'



BEZEL CUT-OUT CENTER SPACING DETAIL  
BEZEL THICKNESS:0.8-2.6



DETACHED LISTS			<b>RoHS Compliant</b>			
	TOLERANCES EXCEPT AS NOTED					
	MM					
	.0 ± 0.25		±			
.00 ± 0.20		±				
.000 ± 0.10		±				
ANGLES ± 1°		DFTO : JACK		DRAWING NO. CSFPP014-L		SIZE
 THIRD ANGLE PROJECTION		DATE : 10/15/10		/PART NO. SFPP014-L		A3
		SCALE : 1:1		DO NOT SCALE DRAWING		
				SHEET 2 OF 4		11

8

7

6

5

4



3

2

1


H  
G  
F  
E  
D  
C  
B  
A

REVISION RECORD		
REV	DESCRIPTION	DRFT
11	EXTEND MIDDLE METAL SPACER ( DIM0.15) CONTROL METAL SPACER POSITION ( DIM1.5)	Royzuo 6/05/13'




		<b>RoHS Compliant</b>			
TOLERANCES EXCEPT AS NOTED .0 ± 0.25 ± .00 ± 0.20 ± .000 ± 0.10 ±		TITLE: SFP PLUS 2 BY 4 CAGE+CONNECTOR_P METAL GASKET			
ANGLES ± 1° 		DFTO : JACK DATE : 10/15/10 SCALE : 1:1		DRAWING NO. CSFPP014-L /PART NO. SFPP014-L DO NOT SCALE DRAWING	
DETACHED LISTS		SIZE: A3		REV: 11	
SHEET 3 OF 4					


REVISION RECORD		
REV	DESCRIPTION	DRFT
11	EXTEND MIDDLE METAL SPACER ( DIM0.15) CONTROL METAL SPACER POSITION ( DIM1.5)	Royzuo 6/05/13'



KEEP-OUT ZONE DETAIL  
SCALE 6:1



CONNECTOR PIN-OUT  
COMPONENT SIDE OF BOARD



DETAIL A  
SCALE 6:1

NOTES: LED PROFILE (0603)  
HEIGHT: 0.6mm~0.8mm  
VIEW ANGLE:  $\leq 120^\circ$

		<b>RoHS Compliant</b>			
TOLERANCES EXCEPT AS NOTED		TITLE METAL GASKET			
MM		SFP PLUS 2 BY 4 CAGE+CONNECTOR_LP			
.0 ± 0.25	±	DFTO : JACK		DRAWING NO. CSFPP014-L	SIZE A3
.00 ± 0.20	±	DATE : 10/15/10		/PART NO. SFPP014-L	REV 11
.000 ± 0.10	±	SCALE : 1:1		DO NOT SCALE DRAWING	
ANGLES ± 1° 		SHEET 4 OF 4			