

## Specification Sheet

Part Number: TAG66L-789

**HellermannTyton** Laser Tag Label, 3.6" x .38", 50 Per Sheet, PET, White, 1000/pkg

<b>Article Number</b>	594-66789
<b>Type</b>	TAG66L
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• LaserTags are sheet fed for easy loading and fast printing.</li><li>• LaserTags are made with high temperature materials and adhesives so that they will not be affected by the high heat of laser printing.</li><li>• LaserTags are printable using toner for long term UV exposure.</li><li>• LaserTags come in a variety of label sizes and types to fit most applications.</li></ul>
<b>Quantity Per</b>	pack

### Product Description

LaserTags are durable, laser printable labels for applications requiring clear, crisp legibility. The labels are supplied on 8.5" X 11" sheets and are printable using HellermannTyton Tagprint Pro software and a standard laser printer. Specially designed adhesives and materials are used for the LaserTags, ensuring that the labels will not curl, change color, or jam standard laser printers.

<b>Short Description</b>	Laser Tag Label, 3.6" x .38", 50 Per Sheet, PET, White, 1000/pkg
<b>Global Part Name</b>	TAG66L-789-WH
<b>Width W (Imperial)</b>	3.59
<b>Width W (Metric)</b>	91.4
<b>Bundle Diameter Min (Imperial)</b>	.39
<b>Bundle Diameter Min (Metric)</b>	1.10
<b>Bundle Diameter Max (Imperial)</b>	.79
<b>Bundle Diameter Max (Metric)</b>	20.20
<b>Thickness T (Metric)</b>	35.0
<b>Height H (Imperial)</b>	0.375
<b>Height H (Metric)</b>	9.52
<b>Width of Liner (Metric)</b>	215.00
<b>Width of Liner (imperial)</b>	8.5
<b>Material</b>	Type 789, Polyester (PET)
<b>Material Shortcut</b>	789

<b>Adhesive</b>	Acrylic
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +302°F (-40°C to +150°C)
<b>Operating Temperature (Metric)</b>	-40°F to +300°F (-40°C to +149°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	1000
<b>Package Quantity (Metric)</b>	1000
<b>Customs Number</b>	3919905060
<b>Labels per Column</b>	25
<b>Labels per Row</b>	2
<b>Weight (Metric)</b>	0.521
<b>Weight (Imperial)</b>	1.14