






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Peng-Bing Fu	2011/04/06	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Peng-Bing Fu	2012/11/13			ecn no	ELX-DG-013147-1			
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Shao-Qi Kuang	2012/11/13			product family	PwrBlade+	rel level	Released	
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	appr	Pei-Ming Zheng	2012/11/13			dwg no	10106124-6006001		rev	B
ASME Y14.5	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10 0° ±2°			cat. no.	3HP + 24S + 3HP		Product - Customer Drw		sheet 1 of 3		

PRODUCT NO.	ROWS	HIGH POWER			SIGNAL						HIGH POWER			E2	
		E1	P1	P2	P3	1	2	3	4	5	6	P4	P5		P6
10106124-6006001LF	DCBA	HA	H1	X	H1	X	X	X	U	U	X	H1	H1	H1	HA




CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)
X	OMITTED

dr	Peng-Bing Fu	2011/04/06	projection	MM	size	A3	scale	3:2		
eng	Peng-Bing Fu	2012/11/13			ecn no	ELX-DG-013147-1	rel level	Released		
chr	Shao-Qi Kuang	2012/11/13								
appr	Pei-Ming Zheng	2012/11/13	product family	PwrBlade+						
			3HP + 24S + 3HP			dwg no		10106124-6006001	rev	B
www.fci.com			cat. no.		Product - Customer Drw			sheet 2 of 3		




Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

dr	Peng-Bing Fu	2011/04/06	projection 	MM 	size	A3	scale	3:2
eng	Peng-Bing Fu	2012/11/13			ecn no	ELX-DG-013147-1		
chr	Shao-Qi Kuang	2012/11/13			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2012/11/13				3HP + 24S + 3HP RA STB HEADER	dwg no 10106124-6006001	rev B
www.fci.com			cat. no.	Product - Customer Drw			sheet 3 of 3	