


NOTES:

- ① MAT'L: COPPER (STOCK TKN. $\frac{.040}{.102}$)
 - ② TIN-PLATED ELECTRO TIN (.0003 MIN)
 - ③ TYN-PLATED BRASS FUNNEL FERRULE (COLOR CODED YELLOW)
- STUD SIZES: ($\pm .005$)
- 02 = .094
 - 04 = .119
 - 06 = .146
 - 08 = .173
 - 10 = .198
 - 14 = .265
 - 56 = .328
 - 38 = .390

ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$

(MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER

"UL" LISTING #E32244
 "CSA" LISTING #18689
 WIRE SIZE: 12-10 AWG
 4.0-6.0 MM²



FILE NO.

C-CD-803-01

PART NUMBER	"W" ±.010	"C" MIN.	"L" MAX.	STUD SIZES	AVAILABLE STUD SIZES	DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED		REFERENCE	SCALE:	NTS	DATE	TITLE:	DWG. NO.	A	CUSTOMER DWG
						DEC. ±	ANG. ±								
C-8102-	.415 <u>10.41</u>	.305 <u>7.75</u>	1.090 <u>27.69</u>	08							11.12.84	SPADED TONGUE TERMINAL AVIKRIMP 800-SERIES			
C-8105-	.320 <u>8.13</u>	.305 <u>7.75</u>	1.090 <u>27.69</u>	06							11.26.84	SPADED TONGUE TERMINAL AVIKRIMP 800-SERIES			

