

## TT130SMC Compact Thermal Transfer Printer

Designed with space and portability in mind, the TT130SMC thermal transfer printer's compact footprint allows for highly efficient printing in applications in which space is tight or when portability is important. The smaller size and optional hard-shell carrying case make it easy to transport to remote job sites. The printer accommodates label roll stock up to 2" wide, to satisfy many industrial labeling requirements- especially useful in data center and solar installation applications. The TT130SMC includes an Ethernet port that allows the user to connect to an existing network or to a wireless router for portable printing. For ultimate print efficiency and workflow management, users can connect several TT130SMC printers together and use TagPrint® Pro label software or a TagPrint® Xpress mobile application to create a multiple printer network. TT130SMC Kits also come with a label "caddy" to hold larger label rolls. The carrying case includes space for two printers, as well as a wireless router, cables and label stock.



TT130SMCKIT

Material Data	
Dimensions of Printer	Width - 5.50" (140 mm) Height - 6.98" (177 mm) Depth - 11.0" (241 mm)
Weight	5.6 lbs (2.54 kg)
Power Supply	100-240V Output: DC 24V 2.5A
Operation Temperature	+50F to +95F (+10C to +35C)
Print Density	300 dpi
Media Diameter	Total diameter - 8.27" (210 mm) Core diameter - 3.0" (76.2 mm) Winding direction - Inside or outside
Material Thickness	.0028" - .007" (.06 mm - .19 mm)
Operating System	Windows 2000 / XP / Vista / 7 / 8

Product Selection				
Article No.	Part No.	Type	Description	Pkg. Qty
556-00250	556-00250	TT130SMC	TT130SMC Printer with Cutter	1
556-00254	556-00254	TT130SMCKIT	TT130SMC Printer Kit*	1
556-00257	556-00257	2TT130SMCKIT	2 Printer TT130SMC Printer Kit**	1
556-00251	556-00251	TT130RPHEAD	TT130SMC Print Head	1
556-00252	556-00252	TT130PWRSLY	TT130SMC Replacement Power Supply	1
556-00255	556-00255	TT130SMCCORD	TT130SMC Replacement Power Cord	1
556-00253	556-00253	TT130SMCCASE	Optional Carrying Case	1
556-00235	556-00235	Label Holder	Replacement Label Holder	1
556-00205	556-00205	TTWHITEOUTSM-2	White Ribbon 2" X 154', 1/RL	1
556-00206	556-00206	TT822OUTSM-2	TT822 Black Ribbon 2" X 242', 1/RL	1
556-00212	556-00212	TT100OUTSM-2	TT100 Black Ribbon, 2" x 242', 1/RL	1

\*Includes the TT130SMC printer with cutter, TagPrint® Pro 3.0 software, black and white ribbon, caddy and hard-shell carrying case.

\*\*Includes two (2) TT130SMC printers with cutter, TagPrint Pro 3.0 software, (2) black ribbons, (2) white ribbons, (2) caddies and (1) hard-shell carrying case.

Use Part No. for ordering and Type for specification.

## Features & Benefits

- Lightweight, compact design makes it easy to transport to remote job sites
- Connect several printers together for ultimate printing efficiency
- 300 dpi print head for quality print results
- Fast print speed up to 3" (76mm) / second
- Easy to set up and load
- Label caddy holds larger rolls
- Highly accurate sensor reduces label waste
- Includes USB 2.0 port and Ethernet port for connection to network or wireless router
- 4mb flash / 8mb SDRAM
- Approvals; CE, FCC, Class A, cULus, UL, GS, TUV-GS, LCC, C-Tick, BSMI, RoHS

## Printing Specifications

- Prints on media up to 2" (50.8 mm) wide
- Uses 1/2" core HellermannTyton ribbons
- Maximum print width - 2.13" (54.1 mm)
- Minimum print width - .59" (15.0 mm)

# Thermal Transfer Printers

## TT130SMC Printer Compatible Labels

Product Selection								
Article No.	Part No.	Type	Description	Width in. (mm)	Height in. (mm)	Printable Area Height in. (mm)	Pkg. Qty.	Labels Per Roll
<b>ONE ACROSS PRINTABLE SOLAR INSTALLATION LABELS</b>								
596-00650	596-00650	ACDISC-1	Printable Solar Label, PHOTOVOLTAIC AC DISCONNECT, Red	1 (25.4)	3.75 (95.25)	N/A	1	50
596-00651	596-00651	DCDISC-1	Printable Solar Label, PHOTOVOLTAIC DC DISCONNECT, Red	1 (25.4)	3.75 (95.25)	N/A	1	50
596-00652	596-00652	PVACDIS-1	Printable Solar Label, PV AC RATING LABEL, Red	1 (25.4)	3.75 (95.25)	N/A	1	50
596-00655	596-00655	AC2011-1	Printable Solar Label, AC MODULE LABEL, Red	2 (50.8)	4 (101.6)	N/A	1	50
596-00653	596-00653	DC2011-1	Printable Solar Label, DC MODULE LABEL, Red	2 (50.8)	4 (101.6)	N/A	1	50
596-00654	596-00654	DCRATING-1	Printable Solar Label, DC RATING LABEL, Red	2 (50.8)	3.75 (95.25)	N/A	1	50
596-00242	596-00242	LAM1	Laminate for AC/DC Rating Labels	4.2 (106.6)	2.25 (57.15)	N/A	1	50

Article No.	Part No.	Type	Description	Width in. (mm)	Length ft. (m)	Printable Area Height in. (mm)	Pkg. Qty.	Labels Per Roll
<b>CONTINUOUS VINYL ROLLS</b>								
558-00309	558-00309	HT1WH250	White Vinyl on Continuous Roll	1 (25.4)	250 (76)	N/A	1	N/A
558-00313	558-00313	HT2WH250	White Vinyl on Continuous Roll	2 (50.8)	250 (76)	N/A	1	N/A
558-00340	558-00340	HT1GN250	Green Vinyl on Continuous Roll	1 (25.4)	250 (76)	N/A	1	N/A
558-00342	558-00342	HT2GN250	Green Vinyl on Continuous Roll	2 (50.8)	250 (76)	N/A	1	N/A
558-00336	558-00336	HT1OE250	Orange Vinyl on Continuous Roll	1 (25.4)	250 (76)	N/A	1	N/A
558-00337	558-00337	HT2OE250	Orange Vinyl on Continuous Roll	2 (50.8)	250 (76)	N/A	1	N/A
558-00339	558-00339	HT1BU250	Blue Vinyl on Continuous Roll	1 (25.4)	250 (76)	N/A	1	N/A
558-00341	558-00341	HT2BU250	Blue Vinyl on Continuous Roll	2 (50.8)	250 (76)	N/A	1	N/A
558-00310	558-00310	HT1YE250	Yellow Vinyl on Continuous Roll	1 (25.4)	250 (76)	N/A	1	N/A
558-00314	558-00314	HT2YE250	Yellow Vinyl on Continuous Roll	2 (50.8)	250 (76)	N/A	1	N/A
558-00308	558-00308	HT1RD250	Red Vinyl on Continuous Roll	1 (25.4)	250 (76)	N/A	1	N/A
558-00312	558-00312	HT2RD250	Red Vinyl on Continuous Roll	2 (50.8)	250 (76)	N/A	1	N/A
558-00307	558-00307	HT1BK250	Black Vinyl on Continuous Roll	1 (25.4)	250 (76)	N/A	1	N/A
558-00311	558-00311	HT2BK250	Black Vinyl on Continuous Roll	2 (50.8)	250 (76)	N/A	1	N/A
558-00377	558-00377	HT1RDRF250	Red Reflective Vinyl on Continuous Roll	1 (25.4)	250 (76)	N/A	1	N/A
558-00372	558-00372	HT2RDRF250	Red Reflective Vinyl on Continuous Roll	2 (50.8)	250 (76)	N/A	1	N/A

<b>CONTINUOUS POLYETHYLENE ROLLS FOR EQUIPMENT MARKING</b>								
Article No.	Part No.	Type	Description	Width in. (mm)	Length ft. (m)	Printable Area Height in. (mm)	Pkg. Qty.	Labels Per Roll
596-00624	596-00624	TBL275	Continuous Solid Color Polyethylene Roll, White	.275 (6.99)	100 (30.5)	N/A	1	N/A
596-00380	596-00380	TBL375	Continuous Solid Color Polyethylene Roll, White	.375 (9.53)	100 (30.5)	N/A	1	N/A
596-00381	596-00381	TBL500	Continuous Solid Color Polyethylene Roll, White	.50 (12.70)	100 (30.5)	N/A	1	N/A

Use Part No. for ordering and Type for specification.

## TT130SMC Printer Compatible Labels

Product Selection								
Article No.	Part No.	Type	Description	Width in. (mm)	Length in. (mm)	Printable Area Height in. (mm)	Pkg. Qty.	Labels Per Roll
<b>SELF-LAMINATING VINYL LABELS FOR WIRE AND CABLE IDENTIFICATION</b>								
596-00625	TAG2T1-100B	TAG2T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	.50 (12.7)	1.43 (36.32)	.50 (12.7)	1	1000
596-00626	TAG22T1-100B	TAG22T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	1 (25.4)	1.43 (36.32)	.50 (12.7)	1	1000
596-00627	TAG9T1-100B	TAG9T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	1 (25.4)	2.25 (57.15)	.75 (19.05)	1	1000
596-00628	TAG51T1-100B	TAG51T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	1 (25.4)	.75 (19.05)	.35 (8.89)	1	1000
596-00629	TAG26T1-100B	TAG26T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	.50 (12.7)	.75 (19.05)	.375 (9.53)	1	1000
596-00630	TAG53T1-100B	TAG53T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	1.5 (38.1)	1.43 (36.32)	.70 (17.78)	1	1000
596-00631	TAG3T1-100B	TAG3T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	1 (25.4)	3.75 (95.25)	1.0 (25.40)	1	1000
596-00006	TAG22T2-100B	TAG22T2	Thermal Transfer Self-Laminating Label, Two Across, Vinyl, White	1 (25.4)	1.43 (36.32)	.50 (12.70)	1	5000
596-00008	TAG24T1-100B	TAG24T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	2 (50.8)	1.43 (36.32)	.50 (12.70)	1	1000
596-00016	TAG6T1-100B	TAG6T1	Thermal Transfer Self-Laminating Label, One Across, Vinyl, White	2 (50.8)	3.75 (95.25)	1.5 (38.10)	1	1000
<b>THERMAL TRANSFER LABELS</b>								
Article No.	Part No.	Type	Description	Width in. (mm)	Height in. (mm)	Printable Area Height in. (mm)	Pkg. Qty.	Labels Per Roll
596-00026	TAG96T1-336	TAG96T1	Thermal Transfer Label, 1 Across, Polyester, White	1.875 (47.63)	.25 (6.35)	N/A	1	5000
596-00041	TAG69T1-336	TAG69T1	Thermal Transfer Label, 1 Across, Polyester, White	2 (50.8)	.275 (6.99)	N/A	1	10000
596-27822	TAG27T1-822	TAG27T1	Thermal Transfer Label, 1 Across, Polyester, White	1.5 (38.1)	.75 (19.05)	N/A	1	3000
596-27795	TAG27T1-795	TAG27T1	Thermal Transfer Label, 1 Across, Polyester, Silver	1.5 (38.1)	.75 (19.05)	N/A	1	3000
596-00019	TAG75T1-822	TAG75T1	Thermal Transfer Label, 1 Across, Polyester, White	2 (50.8)	.625 (15.88)	N/A	1	2000
596-75795	TAG75T1-795	TAG75T1	Thermal Transfer Label, 1 Across, Polyester, Silver	2 (50.8)	.625 (15.88)	N/A	1	2000
596-73822	TAG73T1-822	TAG73T1	Thermal Transfer Label, 1 Across, Polyester, White	2 (50.8)	1 (25.4)	N/A	1	3000
596-73795	TAG73T1-795	TAG73T1	Thermal Transfer Label, 1 Across, Polyester, Silver	2 (50.8)	1 (25.4)	N/A	1	3000

Use Part No. for ordering and Type for specification.

Located in over 34 countries, HellermannTyton brings the best to its customers through global resources channeled to local implementations. Flexibility, agility, and ability to create value-added, market driven solutions are the hallmarks of every HellermannTyton company across the world.



ARGENTINA | AUSTRALIA | AUSTRIA | BELGIUM | BRAZIL | CANADA | CHINA  
CZECH REPUBLIC | DENMARK | FINLAND | FRANCE | GERMANY | HONG KONG  
HUNGARY | IRELAND | ITALY | JAPAN | KOREA | MEXICO | NETHERLANDS | NORWAY | PHILIPPINES  
POLAND | PORTUGAL | ROMANIA | RUSSIAN FEDERATION | SINGAPORE | SLOVENIA | SOUTH AFRICA |  
SPAIN | SWEDEN | THAILAND | UNITED KINGDOM | UNITED STATES

---

# HellermannTyton

## **HellermannTyton North American Corporate Headquarters**

7930 N. Faulkner Rd, PO Box 245017  
Milwaukee, WI 53224-9517  
Phone: (414) 355-1130, (800) 537-1512  
Fax: (414) 355-7341, (800) 848-9866  
email: corp@htamericas.com  
www.hellermann.tyton.com

***TS16949, ISO 9001, and ISO 14001 certified***

## **HellermannTyton Canada**

Unit #4, 205 Industrial Parkway North  
Aurora, Ontario L4G 4C4 Canada  
Phone: (800) 661-2461  
Fax: (800) 390-3904  
email: sales@hellermanntyton.ca

## **HellermannTyton Mexico**

Anillo Periferico Sur 7980 Edificio 6A  
Parque Industrial Tecnologico II  
Santa María Tequepexpan  
Tlaquepaque, Jalisco, Mexico 45601  
Phone: 011-52-33-3-133-9880  
Fax: 011-52-33-3-133-9861  
email: info@htamericas.com.mx

***ISO 9001 certified***

## **Warranty Policy**

HellermannTyton products are warranted to be free from defects in material and workmanship at the time sold by us; but our obligation under this warranty and that of the seller is limited to the replacement of the product, and neither we nor the seller are bound by any other warranty, expressed, implied or statutory. Under no circumstances are we or the seller liable for any loss, damage, expenses or consequential damages of any kind arising out of the use or inability to use these products. All are sold with the understanding that the user will test them in actual use and determine their adaptability for the intended uses.